

Veterinary Product List

1 of 10

Product Reference	Drug	Diluent	Shelf Life in Days and storage
Ars10IVI	Arsenic Trioxide	Upto 10mg IVI N/S 0.9%	72 hours room temperature
Ars20IVI	Arsenic Trioxide	10.1mg to 20mg IVI N/S 0.9%	72 hours room temperature
Ars30IVI	Arsenic Trioxide	20.1mg to 30mg IVI N/S 0.9%	72 hours room temperature
Aza100SC	Azacitadine	Upto 100mg SC	8 hours 2 to 8 degrees centigrade
Aza150SC	Azacitadine	101mg to 150mg SC (as 2 syringes dose split equally)	8 hours 2 to 8 degrees centigrade
Bend125IVI	Bendamustine	101mg to 125mg IVI N/S 0.9%	5 days 2 to 8 degrees centigrade
Bev300IVI	Bevacizumab	Upto 300mg IVI N/S 0.9%	48 hours room temperature
Bev400IVI	Bevacizumab	301mg to 400mg IVI N/S 0.9%	48 hours room temperature
Bev500IVI	Bevacizumab	401mg to 500mg IVI N/S 0.9%	48 hours room temperature
Bev600IVI	Bevacizumab	501mg to 600mg IVI N/S 0.9%	48 hours room temperature
Bleo10,000-PFS	Bleomycin	10,000units IVB / IVI N/S 0.9%	43 days 2 to 8 degrees centigrade
Bleo14,000-PFS	Bleomycin	14,000units IVB / IVI N/S 0.9%	43 days 2 to 8 degrees centigrade
Bleo16000-PFS	Bleomycin	16,000units IVB/ IVI N/S 0.9%	43 days 2 to 8 degrees centigrade
Bleo18,000-PFS	Bleomycin	18,000units IVB / IVI N/S 0.9%	43 days 2 to 8 degrees centigrade
Bleo20,000-PFS	Bleomycin	20,000units IVB / IVI N/S 0.9%	43 days 2 to 8 degrees centigrade
Bleo22,000-PFS	Bleomycin	22,000units IVB / IVI N/S 0.9%	43 days 2 to 8 degrees centigrade
Bort3.5IVB	Bortezomib	1mg to 3.5mg IVB	5 days 2 to 8 degrees centigrade
Carb100-IVI	Carboplatin	100mg IVI G5%	84 days at room temperature
Carb150-IVI	Carboplatin	150mg IVI G5%	84 days at room temperature
Carb200-IVI	Carboplatin	200mg IVI G5%	84 days at room temperature
Carb250-IVI	Carboplatin	250mg IVI G5%	84 days at room temperature
Carb300-IVI	Carboplatin	300mg IVI G5%	84 days at room temperature
Carb350-IVI	Carboplatin	350mg IVI G5%	84 days at room temperature
Carb400-IVI	Carboplatin	400mg IVI G5%	84 days at room temperature
Carb450-IVI	Carboplatin	450mg IVI G5%	84 days at room temperature
Carb500-IVI	Carboplatin	500mg IVI G5%	84 days at room temperature
Carb550-IVI	Carboplatin	550mg IVI G5%	84 days at room temperature
Carb600-IVI	Carboplatin	600mg IVI G5%	84 days at room temperature
Carb650-IVI	Carboplatin	650mg IVI G5%	84 days at room temperature
Carb700-IVI	Carboplatin	700mg IVI G5%	84 days at room temperature
Carb750-IVI	Carboplatin	750mg IVI G5%	84 days at room temperature
Carb800-IVI	Carboplatin	800mg IVI G5%	84 days at room temperature
Carb850-IVI	Carboplatin	850mg IVI G5%	84 days at room temperature
Carb900-IVI	Carboplatin	900mg IVI G5%	84 days at room temperature
Carb950-IVI	Carboplatin	950mg IVI G5%	84 days at room temperature
Cet300IVI	Cetuximab	Upto 300mg IVI N/S 0.9%	48 hours at room temperature
Cet500IVI	Cetuximab	301mg to 500mg IVI N/S 0.9%	48 hours at room temperature
Cet600IVI	Cetuximab	501mg to 600mg IVI N/S 0.9%	48 hours at room temperature
Cet700IVI	Cetuximab	601mg to 700mg IVI N/S 0.9%	48 hours at room temperature
Cet800IVI	Cetuximab	701mg to 800mg IVI N/S 0.9%	48 hours at room temperature

Product Reference	Drug	Diluent	Shelf Life in Days and storage
Cet1000IVI	Cetuximab	801mg to 1000mg IVI N/S 0.9%	48 hours at room temperature
Cet1100IVI	Cetuximab	1001mg to 1100mg IVI N/S 0.9%	48 hours at room temperature
Cid375IVI	Cidofovir	Up to 375mg in 100mls N/S 0.9%	5 days 2 to 8 degrees centigrade
Cis60-IVI	Cisplatin	60mg IVI N/S 0.9%	84 days at room temperature
Cis70-IVI	Cisplatin	70mg IVI N/S 0.9%	84 days at room temperature
Cis80-IVI	Cisplatin	80mg IVI N/S 0.9%	84 days at room temperature
Cis90-IVI	Cisplatin	90mg IVI N/S 0.9%	84 days at room temperature
Cis100-IVI	Cisplatin	100mg IVI N/S 0.9%	84 days at room temperature
Cis110-IVI	Cisplatin	110mg IVI N/S 0.9%	84 days at room temperature
Cis120-IVI	Cisplatin	120mg IVI N/S 0.9%	84 days at room temperature
Cis130-IVI	Cisplatin	130mg IVI N/S 0.9%	84 days at room temperature
Cis140-IVI	Cisplatin	140mg IVI N/S 0.9%	84 days at room temperature
Cis150-IVI	Cisplatin	150mg IVI N/S 0.9%	84 days at room temperature
Cis160-IVI	Cisplatin	160mg IVI N/S 0.9%	84 days at room temperature
Cis170-IVI	Cisplatin	170mg IVI N/S 0.9%	84 days at room temperature
Cis180-IVI	Cisplatin	180mg IVI N/S 0.9%	84 days at room temperature
Cis190-IVI	Cisplatin	190mg IVI N/S 0.9%	84 days at room temperature
Cis200-IVI	Cisplatin	200mg IVI N/S 0.9%	84 days at room temperature
Cis200/Mg4/KCl20IVI	Cisplatin with Magnesium Sulphate 4mmol & Potassium chloride	101mg to 200mg IVI N/S 0.9% with Magnesium Sulphate 4mmol & Potassium chloride 20mmol	28 days at room temperature
Clad10IVI	Cladribine	1mg to 10mg IVI N/S 0.9%	30 days at room temperature
Clad20IVI	Cladribine	11mg to 20mg IVI N/S 0.9%	30 days at room temperature
Cyclo100-IVB	Cyclophosphamide	100mg/5ml IVB	84 days 2 to 8 degrees centigrade
Cyclo200-IVB	Cyclophosphamide	200mg/10ml IVB	84 days 2 to 8 degrees centigrade
Cyclo250-IVB	Cyclophosphamide	250mg/12.5ml IVB	84 days 2 to 8 degrees centigrade
Cyclo300-IVB	Cyclophosphamide	300mg/15ml IVB	84 days 2 to 8 degrees centigrade
Cyclo400-IVB	Cyclophosphamide	400mg/20ml IVB	84 days 2 to 8 degrees centigrade
Cyclo450-IVB	Cyclophosphamide	450/22.5ml IVB	84 days 2 to 8 degrees centigrade
Cyclo500-IVB	Cyclophosphamide	500mg/25ml IVB	84 days 2 to 8 degrees centigrade
Cyclo600-IVB	Cyclophosphamide	600mg/30ml IVB	84 days 2 to 8 degrees centigrade
Cyclo750-IVB	Cyclophosphamide	750mg/37.5ml IVB	84 days 2 to 8 degrees centigrade
Cyclo800-IVB	Cyclophosphamide	800mg/40ml IVB	84 days 2 to 8 degrees centigrade
Cyclo900-IVB	Cyclophosphamide	900mg/45ml IVB	84 days 2 to 8 degrees centigrade
Cyclo950-IVB	Cyclophosphamide	950mg/47.5ml IVB	84 days 2 to 8 degrees centigrade
Cyclo1000-IVB	Cyclophosphamide	1000mg/50ml IVB	84 days 2 to 8 degrees centigrade
Cyclo1100-IVB	Cyclophosphamide	1100mg/55ml IVB	84 days 2 to 8 degrees centigrade
Cyclo500-IVI	Cyclophosphamide	500mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Cyclo700-IVI	Cyclophosphamide	700mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Cyclo800-IVI	Cyclophosphamide	800mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Cyclo900-IVI	Cyclophosphamide	900mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Cyclo1000-IVI	Cyclophosphamide	1000mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Cyclo1100-IVI	Cyclophosphamide	1100mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Cyclo1200-IVI	Cyclophosphamide	1200mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Cyclo1300-IVI	Cyclophosphamide	1300mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade

Product Reference	Drug	Diluent	Shelf Life in Days and storage
Cyclo1400-IVI	Cyclophosphamide	1400mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Cyclo1500-IVI	Cyclophosphamide	1500mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Cyclo1700-IVI	Cyclophosphamide	1700mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Cyclo1800-IVI	Cyclophosphamide	1800mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Cyclo2000-IVI	Cyclophosphamide	2000mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Cyclo2600-IVI	Cyclophosphamide	2600mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Cyclo2800-IVI	Cyclophosphamide	2800mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Cyclo2800-IVI - EVA	Cyclophosphamide	4000mg/200ml EVA bag	84 days 2 to 8 degrees centigrade
Cyclo1000-IVBDL	Cyclophosphamide	1000mg/50ml solution IVB Doselock	84 days 2 to 8 degrees centigrade
Cyclo600-IVBDL	Cyclophosphamide	600mg/30ml IVB Doselock	84 days 2 to 8 degrees centigrade
Cyt100SC(100mg)	Cytarabine	20mg to 100mg SC (100mg/ml)	84 days at room temperature
Cyt50SC(20mg)	Cytarabine	20mg to 50mg SC (20mg/ml)	84 days at room temperature
Cyt1000IVI	Cytarabine	1mg to 1000mg IVI N/S 0.9%	84 days at room temperature
Cyt2000IVI	Cytarabine	1001mg to 2000mg IVI N/S 0.9%	84 days at room temperature
Cyt3000IVI	Cytarabine	2001mg to 3000mg IVI N/S 0.9%	84 days at room temperature
Cyt4000IVI	Cytarabine	3001mg to 4000mg IVI N/S 0.9%	84 days at room temperature
Cyt5000IVI	Cytarabine	4001mg to 5000mg IVI N/S 0.9%	84 days at room temperature
Cyt6000IVI	Cytarabine	5001mg to 6000mg IVI N/S 0.9%	84 days at room temperature
Cyt7000IVI	Cytarabine	6001mg to 7000mg IVI N/S 0.9%	84 days at room temperature
Cyt1000SV0.5	Cytarabine	up to 1000mg in Baxter Infusor SV0.5	14 days at room temperature
Dacarb1000IVI	Dacarbazine	1mg to 1000mg IVI N/S 0.9% / G5%	<1.4mg/ml 7 days 2 to 8 degrees centigrade / >1.41mg/ml 4 days 2 to 8 degrees centigrade
Dacarb2000IVI	Dacarbazine	1001mg to 2000mg IVI N/S 0.9% / G5%	<1.4mg/ml 7 days 2 to 8 degrees centigrade / >1.41mg/ml 4 days 2 to 8 degrees centigrade
Daun120IVI	Daunorubicin	101mg to 120mg IVI N/S 0.9%	43 days two to eight degrees centigrade
Daun140IVI	Daunorubicin	121mg to 140mg IVI N/S 0.9%	43 days two to eight degrees centigrade
Daun160IVI	Daunorubicin	141mg to 160mg IVI N/S 0.9%	43 days two to eight degrees centigrade
Daun180IVI	Daunorubicin	161mg to 180mg IVI N/S 0.9%	43 days two to eight degrees centigrade
Daun200IVI	Daunorubicin	181mg to 200mg IVI N/S 0.9%	43 days two to eight degrees centigrade
Doc60-IVI	Docetaxel	60mg IVI N/S 0.9%	56 days at room temperature
Doc80-IVI	Docetaxel	80mg IVI N/S 0.9%	56 days at room temperature
Doc90-IVI	Docetaxel	90mg IVI N/S 0.9%	56 days at room temperature
Doc100-IVI	Docetaxel	100mg IVI N/S 0.9%	56 days at room temperature
Doc110-IVI	Docetaxel	110mg IVI N/S 0.9%	56 days at room temperature
Doc120-IVI	Docetaxel	120mg IVI N/S 0.9%	56 days at room temperature
Doc130-IVI	Docetaxel	130mg IVI N/S 0.9%	56 days at room temperature
Doc140-IVI	Docetaxel	140mg IVI N/S 0.9%	56 days at room temperature
Doc150-IVI	Docetaxel	150mg IVI N/S 0.9%	56 days at room temperature
Doc160-IVI	Docetaxel	160mg IVI N/S 0.9%	56 days at room temperature
Doc170-IVI	Docetaxel	170mg IVI N/S 0.9%	56 days at room temperature
Doc180-IVI	Docetaxel	180mg IVI N/S 0.9%	56 days at room temperature
Doc190-IVI	Docetaxel	190mg IVI N/S 0.9%	56 days at room temperature
Doc200-IVI	Docetaxel	200mg IVI N/S 0.9%	56 days at room temperature
Doxo10-IVB	Doxorubicin	10mg/5ml IVB	84 days 2 to 8 degrees centigrade
Doxo20-IVB	Doxorubicin	20mg/10ml IVB	84 days 2 to 8 degrees centigrade

Product Reference	Drug	Diluent	Shelf Life in Days and storage
Doxo30-IVB	Doxorubicin	30mg/15ml IVB	84 days 2 to 8 degrees centigrade
Doxo35-IVB	Doxorubicin	35mg/17.5ml IVB	84 days 2 to 8 degrees centigrade
Doxo40-IVB	Doxorubicin	40mg/20ml IVB	84 days 2 to 8 degrees centigrade
Doxo45-IVB	Doxorubicin	45mg/22.5ml IVB	84 days 2 to 8 degrees centigrade
Doxo50-IVB	Doxorubicin	50mg/25ml IVB	84 days 2 to 8 degrees centigrade
Doxo55-IVB	Doxorubicin	55mg/27.5ml IVB	84 days 2 to 8 degrees centigrade
Doxo60-IVB	Doxorubicin	60mg/30ml IVB	84 days 2 to 8 degrees centigrade
Doxo70-IVB	Doxorubicin	70mg/35ml IVB	84 days 2 to 8 degrees centigrade
Doxo80-IVB	Doxorubicin	80mg/40ml IVB	84 days 2 to 8 degrees centigrade
Doxo90-IVB	Doxorubicin	90mg/45ml IVB	84 days 2 to 8 degrees centigrade
Doxo100-IVB	Doxorubicin	100mg/50ml IVB	84 days 2 to 8 degrees centigrade
Doxo110-IVB	Doxorubicin	110mg/55ml IVB	84 days 2 to 8 degrees centigrade
Doxo20-IVI	Doxorubicin	20mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Doxo60-IVI	Doxorubicin	60mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Doxo60-IVBDL	Doxorubicin	60mg/30ml IVB Doselock	84 days 2 to 8 degrees centigrade
Doxo100-IVBDL	Doxorubicin	100mg/50ml IVB Doselock	84 days 2 to 8 degrees centigrade
Dox150SV2.5	Doxorubicin	101mg to 150mg IN Baxter Infusor SV2.5	84 days 2 to 8 degrees centigrade
DoxLip50IVIMyocet	Liposomal Doxorubicin (Myocet)	1mg to 50mg in IVI N/S 0.9%	5 days 2 to 8 degrees centigrade
DoxLip100IVIMyocet	Liposomal Doxorubicin (Myocet)	51mg to 100mg in IVI N/S 0.9%	5 days 2 to 8 degrees centigrade
DoxLip150IVIMyocet	Liposomal Doxorubicin (Myocet)	101mg to 150mg in IVI N/S 0.9%	5 days 2 to 8 degrees centigrade
DoxLip200IVIMyocet	Liposomal Doxorubicin (Myocet)	151mg to 200mg in IVI N/S 0.9%	5 days 2 to 8 degrees centigrade
DoxLip60IVICaelyx	Liposomal Doxorubicin (Caelyx)	41mg to 60mg in IVI N/S 0.9%	24 hours 2 to 8 degrees centigrade
Epi10-IVB	Epirubicin	10mg/5ml IVB	84 days 2 to 8 degrees centigrade
Epi20-IVB	Epirubicin	20mg/10ml IVB	84 days 2 to 8 degrees centigrade
Epi30-IVB	Epirubicin	30mg/15ml IVB	84 days 2 to 8 degrees centigrade
Epi35-IVB	Epirubicin	35mg/17.5ml IVB	84 days 2 to 8 degrees centigrade
Epi40-IVB	Epirubicin	40mg/20ml IVB	84 days 2 to 8 degrees centigrade
Epi45-IVB	Epirubicin	45mg/22.5ml IVB	84 days 2 to 8 degrees centigrade
Epi50-IVB	Epirubicin	50mg/25ml IVB	84 days 2 to 8 degrees centigrade
Epi55-IVB	Epirubicin	55mg/27.5ml IVB	84 days 2 to 8 degrees centigrade
Epi60-IVB	Epirubicin	60mg/30ml IVB	84 days 2 to 8 degrees centigrade
Epi65-IVB	Epirubicin	65mg/32.5ml IVB	84 days 2 to 8 degrees centigrade
Epi70-IVB	Epirubicin	70mg/35ml IVB	84 days 2 to 8 degrees centigrade
Epi75-IVB	Epirubicin	75mg/37.5ml IVB	84 days 2 to 8 degrees centigrade
Epi80-IVB	Epirubicin	80mg/40ml IVB	84 days 2 to 8 degrees centigrade
Epi85-IVB	Epirubicin	85mg/42.5ml IVB	84 days 2 to 8 degrees centigrade
Epi90-IVB	Epirubicin	90mg/45ml IVB	84 days 2 to 8 degrees centigrade
Epi95-IVB	Epirubicin	95mg/47.5ml IVB	84 days 2 to 8 degrees centigrade
Epi100-IVB	Epirubicin	100mg/50ml IVB	84 days 2 to 8 degrees centigrade

Product Reference	Drug	Diluent	Shelf Life in Days and storage
Epi60-IVBDL	Epirubicin	60mg/30ml IVB Doselock	84 days 2 to 8 degrees centigrade
Epi100-IVB	Epirubicin	100mg/50ml IVB	84 days 2 to 8 degrees centigrade
Etop100IVI	Etoposide	1mg to 100mg IVI N/S 0.9% / G5%	<0.2mg/ml 28 days room temperature / >0.21mg to 0.4mg/ml 4 days room temperature
Etop200IVI	Etoposide	101mg to 200mg IVI N/S 0.9% / G5%	<0.2mg/ml 28 days room temperature / >0.21mg to 0.4mg/ml 4 days room temperature
Etop300IVI	Etoposide	201mg to 300mg IVI N/S 0.9% / G5%	<0.2mg/ml 28 days room temperature / >0.21mg to 0.4mg/ml 4 days room temperature
Etop400IVI	Etoposide	301mg to 400mg IVI N/S 0.9% / G5%	<0.2mg/ml 28 days room temperature / >0.21mg to 0.4mg/ml 4 days room temperature
Etop500IVI	Etoposide	401mg to 500mg IVI N/S 0.9% / G5%	<0.2mg/ml 28 days room temperature / >0.21mg to 0.4mg/ml 4 days room temperature
Etop500IVB	Etoposide	1mg to 500mg IVB (Neat)	<0.2mg/ml 28 days room temperature / >0.21mg to 0.4mg/ml 4 days room temperature
Etop1000IVB	Etoposide	501mg to 1000mg IVB (Neat)	<0.2mg/ml 28 days room temperature / >0.21mg to 0.4mg/ml 4 days room temperature
Etopophos100IVI	Etopophos	1mg to 100mg IVI N/S 0.9%	31 days at room temperature
Etopophos200IVI	Etopophos	101mg to 200mg IVI N/S 0.9%	31 days at room temperature
Etopophos300IVI	Etopophos	201mg to 300mg IVI N/S 0.9%	31 days at room temperature
Flud50IVI	Fludarabine	1mg to 50mg IVI N/S 0.9%	14 days at room temperature
Flud100IVI	Fludarabine	51mg to 100mg IVI N/S 0.9%	14 days at room temperature
5-Fu-100IVB	Fluorouracil	100mg IVB	84 days at room temperature
5-Fu-200IVB	Fluorouracil	200mg IVB	84 days at room temperature
5-Fu-250IVB	Fluorouracil	250mg IVB	84 days at room temperature
5-Fu-300IVB	Fluorouracil	300mg IVB	84 days at room temperature
5-Fu-400IVB	Fluorouracil	400mg IVB	84 days at room temperature
5-Fu-500IVB	Fluorouracil	500mg IVB	84 days at room temperature
5-Fu-550IVB	Fluorouracil	550mg IVB	84 days at room temperature
5-Fu-600IVB	Fluorouracil	600mg IVB	84 days at room temperature
5-Fu-700IVB	Fluorouracil	700mg IVB	84 days at room temperature
5-Fu-750IVB	Fluorouracil	750mg IVB	84 days at room temperature
5-Fu-800IVB	Fluorouracil	800mg IVB	84 days at room temperature
5-Fu-850IVB	Fluorouracil	850mg IVB	84 days at room temperature
5-Fu-900IVB	Fluorouracil	900mg IVB	84 days at room temperature
5-Fu-1000IVB	Fluorouracil	1000mg IVB	84 days at room temperature
5-Fu-1100IVB	Fluorouracil	1100mg IVB	84 days at room temperature
5-Fu-1200IVB	Fluorouracil	1200mg IVB	84 days at room temperature
5-Fu-1500IVBDL	Fluorouracil	1500mg/30ml IVB Doselock	84 days at room temperature
5-Fu-500IVI	Fluorouracil	500mg IVI N/S 0.9%	84 days at room temperature
5-Fu-550IVI	Fluorouracil	550mg IVI N/S 0.9%	84 days at room temperature
5-Fu-600IVI	Fluorouracil	600mg N/S 0.9%	84 days at room temperature
5-Fu-650IVI	Fluorouracil	650mg IVI N/S 0.9%	84 days at room temperature
5-Fu-700IVI	Fluorouracil	700mg IVI N/S 0.9%	84 days at room temperature
5-Fu-750IVI	Fluorouracil	750mg IVI N/S 0.9%	84 days at room temperature
5-Fu-800IVI	Fluorouracil	800mg IVI N/S 0.9%	84 days at room temperature

Product Reference	Drug	Diluent	Shelf Life in Days and storage
5-Fu-900IVI	Fluorouracil	900mg IVI N/S 0.9%	84 days at room temperature
5-Fu-1000IVI	Fluorouracil	1000mgIVI N/S 0.9%	84 days at room temperature
5-Fu5000LV5(50mg)	Fluorouracil	1mg to 5000mg in Baxter Infusor LV5	84 days at room temperature
5-Fu10000LV5(50mg)	Fluorouracil	5001mg to 10000mg in Baxter Infusor LV5	84 days at room temperature
5-Fu5000LV2(50mg)	Fluorouracil	1mg to 5000mg in Baxter Infusor LV2	84 days at room temperature
5-Fu10000LV2(50mg)	Fluorouracil	5001mg to 10000mg in Baxter Infusor LV2	84 days at room temperature
5-Fu5000SV2.5(50mg)	Fluorouracil	1mg to 5000mg in Baxter Infusor SV2.5	84 days at room temperature
5-Fu10000SV2.5(50mg)	Fluorouracil	5001mg to 10000mg in Baxter Infusor SV2.5	84 days at room temperature
5-Fu5000SV0.5(50mg)	Fluorouracil	1mg to 5000mg in Baxter Infusor SV0.5	84 days at room temperature
5-Fu5000-10000Acc	Fluorouracil	1mg to 10000mg in an Accufuser	84 days at room temperature
Ganc50-IVB	Ganciclovir	50mg/10ml IVB	42 days at room temperature
Ganc100-IVI	Ganciclovir	100mg/100ml IVI N/S 0.9% or G5%	42 days at room temperature
Ganc150-IVI	Ganciclovir	150mg/100ml IVI N/S 0.9% or G5%	42 days at room temperature
Ganc200-IVI	Ganciclovir	200mg/100ml IVI N/S 0.9% or G5%	42 days at room temperature
Ganc250-IVI	Ganciclovir	250mg/100ml IVI N/S 0.9% or G5%	42 days at room temperature
Ganc300-IVI	Ganciclovir	300mg/100ml IVI N/S 0.9% or G5%	42 days at room temperature
Ganc350-IVI	Ganciclovir	350mg/100ml IVI N/S 0.9% or G5%	42 days at room temperature
Ganc400-IVI	Ganciclovir	400mg/100ml IVI N/S 0.9% or G5%	42 days at room temperature
Ganc450-IVI	Ganciclovir	450mg/100ml IVI N/S 0.9% or G5%	42 days at room temperature
Ganc500-IVI	Ganciclovir	500mg/100ml IVI N/S 0.9% or G5%	42 days at room temperature
Gem1000-IVI	Gemcitabine	1000mg IVI N/S 0.9%	84 days at room temperature
Gem1100-IVI	Gemcitabine	1100mg IVI N/S 0.9%	84 days at room temperature
Gem1200-IVI	Gemcitabine	1200mg IVI N/S 0.9%	84 days at room temperature
Gem1300-IVI	Gemcitabine	1300mg IVI N/S 0.9%	84 days at room temperature
Gem1400-IVI	Gemcitabine	1400mg IVI N/S 0.9%	84 days at room temperature
Gem1500-IVI	Gemcitabine	1500mg IVI N/S 0.9%	84 days at room temperature
Gem1600-IVI	Gemcitabine	1600mg IVI N/S 0.9%	84 days at room temperature
Gem1700-IVI	Gemcitabine	1700mg IVI N/S 0.9%	84 days at room temperature
Gem1800-IVI	Gemcitabine	1800mg IVI N/S 0.9%	84 days at room temperature
Gem1900-IVI	Gemcitabine	1900mg IVI N/S 0.9%	84 days at room temperature
Gem2000-IVI	Gemcitabine	2000mg IVI N/S 0.9%	84 days at room temperature
Gem2100-IVI	Gemcitabine	2100mg IVI N/S 0.9%	84 days at room temperature
Gem2200-IVI	Gemcitabine	2200mg IVI N/S 0.9%	84 days at room temperature
Gem2300-IVI	Gemcitabine	2300mg IVI N/S 0.9%	84 days at room temperature
Gem2400-IVI	Gemcitabine	2400mg IVI N/S 0.9%	84 days at room temperature
Gem2500-IVI	Gemcitabine	2500mg IVI N/S 0.9%	84 days at room temperature
Gem2600-IVI	Gemcitabine	2600mg IVI N/S 0.9%	84 days at room temperature

Product Reference	Drug	Diluent	Shelf Life in Days and storage
Ida5IVB	Idarubicin	up to 5mg IVB	28 days at room temperature
Ida10IVB	Idarubicin	5.1mg to 10mg IVB	28 days at room temperature
Ida15IVB	Idarubicin	11mg to 15mg IVB	28 days at room temperature
Ida20IVB	Idarubicin	16mg to 20mg IVB	28 days at room temperature
Ida25IVB	Idarubicin	21mg to 25mg IVB	28 days at room temperature
Irino125-IVI	Irinotecan	125mg IVI N/S 0.9%	84 days at room temperature
Irino150-IVI	Irinotecan	150mg IVI N/S 0.9%	84 days at room temperature
Irino175-IVI	Irinotecan	175mg IVI N/S 0.9%	84 days at room temperature
Irino200-IVI	Irinotecan	200mg IVI N/S 0.9%	84 days at room temperature
Irino225-IVI	Irinotecan	225mg IVI N/S 0.9%	84 days at room temperature
Irino250-IVI	Irinotecan	250mg IVI N/S 0.9%	84 days at room temperature
Irino275-IVI	Irinotecan	275mg IVI N/S 0.9%	84 days at room temperature
Irino300-IVI	Irinotecan	300mg IVI N/S 0.9%	84 days at room temperature
Irino325-IVI	Irinotecan	325mg IVI N/S 0.9%	84 days at room temperature
Irino350-IVI	Irinotecan	350mg IVI N/S 0.9%	84 days at room temperature
Irino375-IVI	Irinotecan	375mg IVI N/S 0.9%	84 days at room temperature
Irino400-IVI	Irinotecan	400mg IVI N/S 0.9%	84 days at room temperature
Irino425-IVI	Irinotecan	425mg IVI N/S 0.9%	84 days at room temperature
Irino450-IVI	Irinotecan	450mg IVI N/S 0.9%	84 days at room temperature
Irino475-IVI	Irinotecan	475mg IVI N/S 0.9%	84 days at room temperature
Irino500-IVI	Irinotecan	500mg IVI N/S 0.9%	84 days at room temperature
Irino525-IVI	Irinotecan	525mg IVI N/S 0.9%	84 days at room temperature
Irino600-IVI	Irinotecan	600mg IVI N/S 0.9%	84 days at room temperature
Irino650-IVI	Irinotecan	650mg IVI N/S 0.9%	84 days at room temperature
Irino675-IVI	Irinotecan	675mg IVI N/S 0.9%	84 days at room temperature
Irino700-IVI	Irinotecan	700mg IVI N/S 0.9%	84 days at room temperature
Inflix200IVI	Infliximab	101mg to 200mg IVI N/S 0.9%	24 hours 2 to 8 degrees centigrade
Inflix300IVI	Infliximab	201mg to 300mg IVI N/S 0.9%	24 hours 2 to 8 degrees centigrade
Inflix400IVI	Infliximab	301mg to 400mg IVI N/S 0.9%	24 hours 2 to 8 degrees centigrade
Inflix500IVI	Infliximab	401mg to 500mg IVI N/S 0.9%	24 hours 2 to 8 degrees centigrade
Inflix600IVI	Infliximab	501mg to 600mg IVI N/S 0.9%	24 hours 2 to 8 degrees centigrade
Met49-PFS	Methotrexate	5mg/0.2ml to 40mg/1.6ml IM/SC/IVB	126/ 84 days at room temperature
Met50-PFS	Methotrexate	50mg/2ml IVB	84 days at room temperature
Met60-PFS	Methotrexate	60mg/2.4ml IVB	84 days at room temperature
Met65-PFS	Methotrexate	65mg/2.6ml IVB	84 days at room temperature
Met70-PFS	Methotrexate	70mg/2.8ml IVB	84 days at room temperature
Met75-PFS	Methotrexate	75mg/3ml IVB	84 days at room temperature
Met80-PFS	Methotrexate	80mg/3.2ml IVB	84 days at room temperature
Met85-PFS	Methotrexate	85mg/3.4ml s IVB	84 days at room temperature
Met90-PFS	Methotrexate	95mg/3.8ml IVB	84 days at room temperature
Met100-PFS	Methotrexate	100mg/4ml IVB	84 days at room temperature
Mito10IVB/IVI	Mitomycin	up to 10mg IVB / IVI N/S 0.9%	24 hours at room temperature
Mito20IVB/IVI	Mitomycin	10.1mg lto 20mg IVB / IVI N/S 0.9%	24 hours at room temperature
Mito22IVB/IVI	Mitomycin	20.1mg to 22mg IVB / IVI N/S 0.9%	24 hours at room temperature

Product Reference	Drug	Diluent	Shelf Life in Days and storage
Mito40UT	Mitomycin 40mg in 50ml Urotainer / Syringe N/S 0.9%	40mg in 50ml Urotainer / Syringe N/S 0.9%	4 days at room temperature
Mitox20IVI	Mitoxantrone	1mg to 20mg IVI N/S 0.9%	42 days 2 to 8 degrees centigrade
Mitox40IVI	Mitoxantrone	21mg to 40mg IVI N/S 0.9%	42 days 2 to 8 degrees centigrade
Nat300IVI	Natalizumab	300mg IVI N/S 0.9%	24 hours at room temperature
Ofa100IVI	Ofatumumab	1mg to 100mg IVI N/S 0.9%	48 hours at room temperature
Ofa1000IVI	Ofatumumab	901mg to 1000mg IVI N/S 0.9%	48 hours at room temperature
Oxali70-IVI	Oxaliplatin	70mg IVI G5%	84 days at room temperature
Oxali80-IVI	Oxaliplatin	80mg IVI G5%	84 days at room temperature
Oxali90-IVI	Oxaliplatin	90mg IVI G5%	84 days at room temperature
Oxali100-IVI	Oxaliplatin	100mg IVI G5%	84 days at room temperature
Oxali110-IVI	Oxaliplatin	110mg IVI G5%	84 days at room temperature
Oxali120-IVI	Oxaliplatin	120mg IVI G5%	84 days at room temperature
Oxali130-IVI	Oxaliplatin	130mg IVI G5%	84 days at room temperature
Oxali140-IVI	Oxaliplatin	140mg IVI G5%	84 days at room temperature
Oxali150-IVI	Oxaliplatin	150mg IVI G5%	84 days at room temperature
Oxali160-IVI	Oxaliplatin	160mg IVI G5%	84 days at room temperature
Oxali170-IVI	Oxaliplatin	170mg IVI G5%	84 days at room temperature
Oxali180-IVI	Oxaliplatin	180mg IVI G5%	84 days at room temperature
Oxali190-IVI	Oxaliplatin	190mg IVI G5%	84 days at room temperature
Oxali200-IVI	Oxaliplatin	200mg IVI G5%	84 days at room temperature
Oxali210-IVI	Oxaliplatin	210mg IVI G5%	84 days at room temperature
Oxali220-IVI	Oxaliplatin	220mg IVI G5%	84 days at room temperature
Oxali230-IVI	Oxaliplatin	230mg IVI G5%	84 days at room temperature
Oxali240-IVI	Oxaliplatin	240mg IVI G5%	84 days at room temperature
Oxali250-IVI	Oxaliplatin	250mg IVI G5%	84 days at room temperature
Oxali260-IVI	Oxaliplatin	260mg IVI G5%	84 days at room temperature
Oxali270-IVI	Oxaliplatin	270mg IVI G5%	84 days at room temperature
Pacli100-IVI	Paclitaxel	100mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli110-IVI	Paclitaxel	110mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli120-IVI	Paclitaxel	120mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli130-IVI	Paclitaxel	130mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli140-IVI	Paclitaxel	140mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli150-IVI	Paclitaxel	150mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli160-IVI	Paclitaxel	160mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli170-IVI	Paclitaxel	170mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli180-IVI	Paclitaxel	180mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli200-IVI	Paclitaxel	200mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli220-IVI	Paclitaxel	220mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli230-IVI	Paclitaxel	230mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli240-IVI	Paclitaxel	240mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli250-IVI	Paclitaxel	250mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli260-IVI	Paclitaxel	260mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli270-IVI	Paclitaxel	270mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade

Product Reference	Drug	Diluent	Shelf Life in Days and storage
Pacli280-IVI	Paclitaxel	280mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli290-IVI	Paclitaxel	290mg s IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli300-IVI	Paclitaxel	300mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli310-IVI	Paclitaxel	310mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli330-IVI	Paclitaxel	330mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pacli350-IVI	Paclitaxel	350mg IVI N/S 0.9%	9 days 2 to 8 degrees centigrade
Pem500IVI	Pemetrexed	1mg to 500mg IVI N/S 0.9%	31 days 2 to 8 degrees centigrade
Pem1000IVI	Pemetrexed	501mg to 1000mg IVI N/S 0.9%	31 days 2 to 8 degrees centigrade
Pent10IVI/IVB	Pentostatin	1mg to 10mg IVB / IVI N/S 0.9%	48 hours at room temperature
Ralt4IVI	Raltitrexed	up to 4mg IVI N/S 0.9%	24 hours 2 to 8 degrees centigrade
Ralt4IVI	Raltitrexed	4.1 mg to 6mg IVI N/S 0.9%	24 hours 2 to 8 degrees centigrade
Rit600-IVI	Rituximab	600mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Rit700-IVI	Rituximab	700mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Rit800-IVI	Rituximab	800mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Rit900-IVI	Rituximab	900mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Rit1000-IVI	Rituximab	1000mg IVI N/S 0.9%	84 days 2 to 8 degrees centigrade
Tras150-IVI	Trastuzumab	150mg IVI N/S 0.9%	2 days 2 to 8 degrees centigrade
Tras350-IVI	Trastuzumab	350mg IVI N/S 0.9%	2 days 2 to 8 degrees centigrade
Tras500-IVI	Trastuzumab	500mg IVI N/S 0.9%	2 days 2 to 8 degrees centigrade
Tras600-IVI	Trastuzumab	600mg IVI N/S 0.9%	2 days 2 to 8 degrees centigrade
Tras650-IVI	Trastuzumab	650mg IVI N/S 0.9%	2 days 2 to 8 degrees centigrade
Tras800-IVI	Trastuzumab	800mg IVI N/S 0.9%	2 days 2 to 8 degrees centigrade
Tocil400IVI	Tocilizumab	up to 400mg IVI N/S 0.9%	24 hours at room temperature
Tocil480IVI	Tocilizumab	401mg to 480mg IVI N/S 0.9%	24 hours at room temperature
Tocil560IVI	Tocilizumab	481mg to 560mg IVI N/S 0.9%	24 hours at room temperature
Tocil600IVI	Tocilizumab	561mg to 600mg IVI N/S 0.9%	24 hours at room temperature
Tocil680IVI	Tocilizumab	601mg to 680mg IVI N/S 0.9%	24 hours at room temperature
Tocil760IVI	Tocilizumab	681mg to 760mg IVI N/S 0.9%	24 hours at room temperature
Tocil800IVI	Tocilizumab	761mg to 800mg IVI N/S 0.9%	24 hours at room temperature
Vinb8-IVI	Vinblastine	8mg/50ml IVI N/S 0.9%	79 days 2 to 8 degrees centigrade
Vinb10-IVI	Vinblastine	10mg/50ml IVI N/S 0.9%	79 days 2 to 8 degrees centigrade
Vinb12-IVI	Vinblastine	12mg/50ml IVI N/S 0.9%	79 days 2 to 8 degrees centigrade
Vinb8-IVB	Vinblastine	8mg/20ml IVB	79 days 2 to 8 degrees centigrade
Vinb10-IVB	Vinblastine	10mg/20ml IVB	79 days 2 to 8 degrees centigrade
Vinb12-IVB	Vinblastine	12mg/20ml IVB	79 days 2 to 8 degrees centigrade
Vinc1-IVB	Vincristine	1mg/20ml IVB	84 days at room temperature
Vinc1.1-IVB	Vincristine	1.1mg/11ml IVB	84 days at room temperature
Vinc1.2-IVB	Vincristine	1.2mg/12ml IVB	84 days at room temperature
Vinc1.3-IVB	Vincristine	1.3mg/13ml IVB	84 days at room temperature
Vinc1.5-IVB	Vincristine	1.5mg/15ml IVB	84 days at room temperature
Vinc1.9-IVB	Vincristine	1.9mg/19ml IVB	84 days at room temperature
Vinc2-IVB	Vincristine	2mg/20ml IVB	84 days at room temperature
Vinc1-IVI	Vincristine	1mg/50ml IVI N/S 0.9%	84 days at room temperature
Vinc2-IVI	Vincristine	2mg/50ml IVI N/S 0.9%	84 days at room temperature
Vinc5-IVI	Vincristine	5mg/50ml IVI N/S 0.9%	84 days at room temperature

Product Reference	Drug	Diluent	Shelf Life in Days and storage
Vino20-IVB	Vinorelbine	20mg/20ml IVB	28 days at room temperature
Vino25-IVB	Vinorelbine	25mg/20ml IVB	28 days at room temperature
Vino30-IVB	Vinorelbine	30mg/20ml IVB	28 days at room temperature
Vino35-IVB	Vinorelbine	35mg/20ml IVB	28 days at room temperature
Vino40-IVB	Vinorelbine	40mg/20ml IVB	28 days at room temperature
Vino45-IVB	Vinorelbine	45mg/20ml IVB	28 days at room temperature
Vino50-IVB	Vinorelbine	50mg/20ml IVB	28 days at room temperature
Vino55-IVB	Vinorelbine	55mg/20ml IVB	28 days at room temperature
Vino60-IVB	Vinorelbine	60mg/20ml IVB	28 days at room temperature
Vino35-IVI	Vinorelbine	35mg/50ml IVI N/S 0.9%	28 days at room temperature
Vino40-IVI	Vinorelbine	40mg/50ml IVI N/S 0.9%	28 days at room temperature
Vino45-IVI	Vinorelbine	45mg/50ml IVI N/S 0.9%	28 days at room temperature
Vino50-IVI	Vinorelbine	50mg/50ml IVI N/S 0.9%	28 days at room temperature
Vino55-IVI	Vinorelbine	55mg/50ml IVI N/S 0.9%	28 days at room temperature